

Prepared by asBuilt Digital  
9<sup>th</sup> December 2024



# 1. Environmental Monitoring

asBuilt has been engaged to supply continuous monitoring for Environmental Sensors for the Griffith Hospital Station project in Griffith NSW. Online monitoring is provided via the asBuilt Vault platform.

## 1.1. VIBRATION MONITORING

asBuilt has supplied Adroit Vibration monitoring equipment which has been Adroit vibration sensors measure vibration levels received on structures from construction in accordance with DIN standard 4150-3:2016. The sensor has been set to the most sensitive amplitude measurement in accordance with the DIN Standard (5mm/s in each plane) for cosmetic damage. They also record the same frequency range against human comfort levels but these have not been isolated in this report.

Each minute, the sensor outputs on the maximum amplitude of any frequency range within the 1-600Hz range. This maximum deflection is shown as a point on the output tables. To offer the best sample rate, the sensor is connected to mains power. There is a batter back-up on board to record with minor power outages. Other specifics of the sensor are:

- Meets DIN4150-3 standard
- Transducer type: Industrial MEMS Accelerometer
- Number of channels: 3-axis
- Frequency range: 1 to 600 Hz
- Measurement Range: +/- 1000 mm/s
- Resolution: 0.05 mm/s
- Environmental rating: IP65



Fig 1 – the relative site location of the Vibration monitor is GPS referenced and located in the position shown on the attached diagram



Fig 2 – The Vibration sensor is installed on a concrete block at the base of the permanent noise barrier near the imaging department. It needs to be installed level in all 3 planes (x, y, & z) to ensure that correct amplitude and velocity measurements will be recorded correctly.

The vibration sensor was turned on using site temporary power on 29 June 2022.



ASBUILT

A Smarter World. Digitally.

## 1.2. MONTHLY DEFLECTION RECORDINGS

Each day, deflections in all 3 planes (x, y & z) are recorded. The graphs below are available as a separate daily feed (recorded and stored in Vault) or can be combined to give a monthly view across a 24 hour cycle. The % deflection stored

### JUNE 2024


The monthly output graphs for each plane are shown here. The maximum deflection recorded in each axis were:

X = 7.20% (0.360mm/s)

Y = 19.68% (0.984mm/s)

Z = 15.28% (0.764mm/s)

Note: Data Transmission ceased 18<sup>th</sup> June. ADCO are making efforts to find cause and resolve issue on site.



ASBUILT

A Smarter World. Digitally.

## JULY 2024


The monthly output graphs for each plane are shown here. The maximum deflection recorded in each axis were:

X = 0.72% (0.03mm/s)

Y = 1.01% (0.05mm/s)

Z = 0.91% (0.04mm/s)

Note: Data Transmission ceased 30<sup>th</sup> June and recommenced 31<sup>st</sup> July. This was due to relocation of sensor



ASBUILT

A Smarter World. Digitally.


AUGUST 2024

The monthly output graphs for each plane are shown here. The maximum deflection recorded in each axis were:

X = 14.72% (0.73mm/s)

Y = 25.95% (1.29mm/s)

Z = 13.11% (0.65mm/s)



ASBUILT

A Smarter World. Digitally.


SEPTEMBER 2024

The monthly output graphs for each plane are shown here. The maximum deflection recorded in each axis were:

X = 7.94% (0.397mm/s)

Y = 7.37% (0.368mm/s)

Z = 3.02% (0.151mm/s)



ASBUILT

A Smarter World. Digitally.

OCTOBER 2024


The monthly output graphs for each plane are shown here. The maximum deflection recorded in each axis were:

X = 8.51% (0.425mm/s)

Y = 28.28% (1.414mm/s)

Z = 12.21% (0.610mm/s)

Note: The Y axis maximum deflection was recorded at 6:09am 24<sup>th</sup> October.



ASBUILT

A Smarter World. Digitally.

## NOVEMBER 2024


The monthly output graphs for each plane are shown here. The maximum deflection recorded in each axis were:

X = 3.87% (0.193mm/s)

Y = 10.53% (0.526mm/s)

Z = 6.03% (0.301mm/s)

Note: Max deflection on Y axis was recorded at 6:28am on Thursday 7<sup>th</sup> November.




ASBUILT

A Smarter World. Digitally.

### 1.3. NOISE MONITORING

asBuilt has supplied Netvox R718-PA7 noise sensors which are dBA weighted and operate on a LoRaWAN frequency range. These basic noise monitors provide a level of record which senses noise level at a certain location and provides a continuous sample rate on mains power. The intent of installing the noise monitors was to provide ADCO a sample system whereby construction activity could be recorded and in the event of a complaint, allow some isolation of noise generating area.

The noise sensors were installed and started recording data from 10<sup>th</sup> May 2022.



The monitor takes a sample of noise every 10s and records the output data in a graphical format via the asBuilt Vault platform. The Max and Min values for noise are then recorded and shown in the graphs below.

Fig 4 shows the GPS locations of the 3 noises sensors at the site.



Fig 5, 6 & 7 show the locations of noise monitors NOISAU-009, 008 & 005 on site.




ASBUILT

A Smarter World. Digitally.

## JUNE 2024

### NOISE READINGS FROM NOISAU-005 – MEDICAL IMAGING JUNE




Noise recordings ceased on 3rd November due to unforeseen power loss, ADCO have identified the cause and have actions in place to have back online. Further technical difficulties have been identified and a new device is required.

### NOISE READINGS FROM NOISAU-008 – STAFF ACCOMMODATION JUNE



The noise readings from sensor NOISAU-008N, ceased due to Technical Difficulties ADCO is working to identify cause and rectify.

### NOISE READINGS FROM NOISAU-009 – SITE SHEDS JUNE




The noise readings from sensor NOISAU-009, located near the ADCO Site Sheds showed a peak noise value of 78.5dB on 20<sup>th</sup> June 2024.



A Smarter World. Digitally.

JULY 2024

### NOISE READINGS FROM NOISAU-005 – MEDICAL IMAGING JULY




Noise recordings ceased on 3rd November due to unforeseen power loss, ADCO have identified the cause and have actions in place to have back online. Further technical difficulties have been identified and a new device is required.

### NOISE READINGS FROM NOISAU-008 – STAFF ACCOMMODATION JULY



The noise readings from sensor NOISAU-008N, ceased due to Technical Difficulties ADCO is working to identify cause and rectify.

### NOISE READINGS FROM NOISAU-009 – SITE SHEDS JULY




The noise readings from sensor NOISAU-009, located near the ADCO Site Sheds showed a peak noise value of 69.0dB on 18<sup>th</sup> July 2024.



A Smarter World. Digitally.

## AUGUST 2024

### NOISE READINGS FROM NOISAU-005 – MEDICAL IMAGING AUGUST




Noise recordings ceased on 3rd November due to unforeseen power loss, ADCO have identified the cause and have actions in place to have back online. Further technical difficulties have been identified and a new device is required.

### NOISE READINGS FROM NOISAU-008 – STAFF ACCOMMODATION AUGUST



The noise readings from sensor NOISAU-008N, ceased due to Technical Difficulties ADCO is working to identify cause and rectify.


### NOISE READINGS FROM NOISAU-009 – SITE SHEDS AUGUST



The noise readings from sensor NOISAU-009, located near the ADCO Site Sheds showed a peak noise value of 65.0dB on 4<sup>th</sup> August 2024.

## SEPTEMBER 2024

### NOISE READINGS FROM NOISAU-005 – MEDICAL IMAGING SEPTEMBER




Noise recordings ceased on 3rd November due to unforeseen power loss, ADCO have identified the cause and have actions in place to have back online. Further technical difficulties have been identified and a new device is required.

### NOISE READINGS FROM NOISAU-008 – STAFF ACCOMMODATION SEPTEMBER



The noise readings from sensor NOISAU-008N, ceased due to Technical Difficulties ADCO is working to identify cause and rectify.

### NOISE READINGS FROM NOISAU-009 – SITE SHEDS SEPTEMBER



The noise readings from sensor NOISAU-009, located near the ADCO Site Sheds showed a peak noise value of 83.7dB on 23<sup>rd</sup> September 2024.




ASBUILT

A Smarter World. Digitally.

## OCTOBER 2024

### NOISE READINGS FROM NOISAU-005 – MEDICAL IMAGING OCTOBER




Noise recordings ceased on 3rd November due to unforeseen power loss, ADCO have identified the cause and have actions in place to have back online. Further technical difficulties have been identified and a new device is required.

### NOISE READINGS FROM NOISAU-008 – STAFF ACCOMMODATION OCTOBER



The noise readings from sensor NOISAU-008N, ceased due to Technical Difficulties ADCO is working to identify cause and rectify.

### NOISE READINGS FROM NOISAU-009 – SITE SHEDS OCTOBER



The noise readings from sensor NOISAU-008N, ceased on 7<sup>th</sup> October due to Technical Difficulties at site, ADCO is working to identify cause and rectify. The noise readings from sensor NOISAU-009, located near the ADCO Site Sheds showed a peak noise value of 68.8dB on 6<sup>th</sup> October 2024.




ASBUILT

A Smarter World. Digitally.

## NOVEMBER 2024

### NOISE READINGS FROM NOISAU-005 – MEDICAL IMAGING NOVEMBER



Noise recordings ceased on 3rd November due Site Sheds decommissioning and ADCO plan to bring back online when re-established closer to Stage 2

### NOISE READINGS FROM NOISAU-008 – STAFF ACCOMMODATION NOVEMBER



Noise recordings ceased on 3rd November due Site Sheds decommissioning and ADCO plan to bring back online when re-established closer to Stage 2

### NOISE READINGS FROM NOISAU-009 – SITE SHEDS NOVEMBER



Noise recordings ceased on 3rd November due Site Sheds decommissioning and ADCO plan to bring back online when re-established closer to Stage 2



**ASBUILT**

A Smarter World. Digitally.

## 1.4. WEATHER RECORD


asBuilt has been recording Bureau of Meteorology (BOM) feeds for weather at Griffith airport since 17<sup>th</sup> February 2022. On 5<sup>th</sup> August, the feed from the ADCO site-based weather station started to produce data that was overlaid with BOM data to give a comparative record. This a useful comparator as the closest industry recognised BOM feed can sometimes be several kilometres from the construction site. asBuilt records 4 main interest areas from the BOM feeds across the country.

- Temperature
- Wind Speed
- Wind Gusts
- Rainfall

This has been known to deliver a different record of local weather experience at site and can be useful in forming construction claims for weather events. It can also be a useful record for other events at site other than weather when establishing a qualitative record (e.g. a concrete pour or material exposure to elements on site). A sample is recorded every 20 min from the BOM feed, but the graphs below only show daily maximums. More granular data can be provided upon request.


The PURPLE line in the below graphs indicated measurements from the BOM Feed. The ORANGE lines indicate the site based weather station feed.

### JUNE 2024



ASBUILT


A Smarter World. Digitally.




**ASBUILT**

A Smarter World. Digitally.

July 2024




A Smarter World. Digitally.



**ASBUILT**


A Smarter World. Digitally.

August 2024



ASBUILT


A Smarter World. Digitally.



**ASBUILT**


A Smarter World. Digitally.

September 2024



ASBUILT


A Smarter World. Digitally.



**ASBUILT**


A Smarter World. Digitally.

October 2024



ASBUILT


A Smarter World. Digitally.




**ASBUILT**

A Smarter World. Digitally.

# November 2024



A Smarter World. Digitally.



**ASBUILT**

A Smarter World. Digitally.

# About asBuilt


Established in 2012 and entrusted by major blue-chip brands, asBuilt are Digital Engineering Experts and one of the largest and most experienced, independent specialist Building Information Modelling (BIM) consultancies in Australasia.

asBuilt has developed unique workflows and customised software that enables stakeholders to align and collaborate in a structured digital environment.

Our Purpose: A Smarter World. Digitally.

asBuilt are on a mission to help the construction industry digitally transform. We enable multiple streams of built data to unite – as a digital twin. Infrastructure becomes digital. It is clickable, analysable and tells a story.

In this smart form it can: connect people, communicate, learn, and forecast.



A Smarter World. Digitally.

Auckland  
T: +64 9 377 8450  
57 Woodside Avenue  
Northcote  
Auckland 0627  
New Zealand

Wellington  
T: +64 9 377 8450  
Level 2 Pencarrow House  
1 Willeston Street  
Wellington 6011  
New Zealand

Sydney  
T: +61 2 8880 0426  
4 Holt Street McMahons  
Point Sydney, NSW 2060  
Australia

Melbourne  
T: +61 2 8880 0426  
Level 6  
40 City Road  
Melbourne VIC 3006 Australia

ASBUILTDIGITAL.COM